EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20030076649".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 14:05
L2	248	73/780.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 14:36
L7	99	("3646413" "3796976" "4141080" "4244722" "4480254" "4516091" "4554519" "4619001" "4692727" "4782313" "4849722" "4853660" "5075600" "5162977" "5164688" "5168249" "5258591" "5312790" "5367136" "5406233" "5467067" "5543765" "5568106" "5578976" "5589845" "5640042" "5640042" "5640042" "5677823" "5696662" "5721194" "5770546" "5808527"	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/26

		"5818683" "5830591" "5834975" "5870007" "5870274" "5872489" "5880921" "5912472" "5912486" "5914553" "5925455" "5926073" "5930165" "6057520").PN. OR ("6229684").URPN.				
L8	523	cantilever with capacitor	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/26 14:54
L9	12	("4507705" "4571661").PN. OR ("4672849").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/26 15:00
S1	1	10/685956.app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/13 10:29
82	48	("4033332" "4102332" "4195626" "4367292" "4381788" "4474185" "4580574" "5052400" "5076281" "5270321" "5423328" "5485850" "5564429" "5577510" "5590282" "5678571" "5690691" "5782878" "5794615" "5800337" "6090037").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	0	2008/08/13

S3	2	"6662032".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/13 10:37
S 4	35247	electrode with (bend \$3 or deform\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/13 12:12
S 5	233	deformable electrode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/13 12:12
S6	2	deformable electrode and respiration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/13 12:12
S7	17	electrode with (bend \$3 or deform\$4) same movement and respiration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/13 12:13
S8	13	"600".clas. and respiration and capacitance same electrode same (bend \$4 or flexible or deform \$4 or twist\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/13 12:18
S9	2	us-20040077934-\$. did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/13 12:20
S10	24	respiration and capacitance same electrode same (bend \$4 or flexible or deform \$4 or twist\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/13 12:25

S11	25	electrode same (bend	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/13 12:27
S12	147	"600".clas. and respiration and torso and belt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/13 13:36
S13	29	"600".clas. and respiration and torso and belt and capacitance and electrode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/13 13:36
S14	527	600/534.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/13 13:44
S15	54	("4033332" "4102332" "4195626" "4381788" "4474185" "4526078" "4580574" "4798538" "4827943" "5052400" "5070321" "5076281" "5076281" "5329931" "5367292" "5423328" "5485850" "5590282" "5590828" "579282" "5827179" "6001065" "6047203"	US-PGPUB; USPAT; USOCR	ADJ	S	2009/03/11

		"6050940" "6090037").PN. OR ("6662032").URPN.				
S16	34	600/534.ccls. and (flexible or bendable or elastic or deformable) same (electrode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 12:39
S17	3259	"600".clas. and (flexible or bendable or elastic or deformable) with (electrode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 13:36
S18	547	"600".clas. and (flexible or bendable or elastic or deformable) with (electrode or capacit \$6) same (base or rigid or unflexible or unbendable) with (electrode or capait\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 13:37
S19	1	600/534.ccls. and (flexible or bendable or elastic or deformable) with (electrode or capacit \$6) same (base or rigid or unflexible or unbendable) with (electrode or capait\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 13:38
S20	261	"600".clas. and (flexible or bendable or elastic or deformable) with (electrode or capacit \$6) same (base or rigid or unflexible or unbendable) with (electrode or capait\$6) and (curved or curvature or radius)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 13:41
S21	248	600/534.ccls. and (electrode or capaci \$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 13:43

S22	252	73/1.15.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/16 06:21
S23	351	324/347.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/16 06:24
S24	2206	324/345-364.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/16 06:24
S25	7791	electrode with (bend \$4 or flexible or deform \$4 or twist\$4 or elastic) same (capacit \$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/16 06:31
S26	1154	electrode with (bend \$4 or flexible or deform \$4 or twist\$4 or elastic) same (capacit \$6) and (dielectric or insulator) with (rigid or inflex\$4 or unflex\$4 or unbend\$4 or fixed or plastic or glass or polymer or paper)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/16 06:35
S27	7713	(piezoelectric with capacitor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/16 06:35
S28	88	electrode with (bend \$4 or flexible or deform \$4 or twist\$4 or elastic) same (capacit \$6) and (dielectric or insulator) with (rigid or inflex\$4 or unflex\$4 or unbend\$4 or fixed or plastic or glass or polymer or paper) and (electrode with curved)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/16 06:37

\$29	132	electrode with (bend \$4 or flexible or deform \$4 or twist\$4 or elastic) same (capacit \$6) and (dielectric or insulator) with (rigid or inflex\$4 or unflex\$4 or unbend\$4 or fixed or plastic or glass or polymer or paper) and (deform\$6 or stress) with (mechanical)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/16 07:13
S 30	35	electrode with (bend \$4 or flexible or deform \$4 or twist\$4 or elastic) same (capacit \$6) and (dielectric or insulator) with (rigid or inflex\$4 or unflex\$4 or unbend\$4 or fixed or plastic or glass or polymer or paper) and (deform\$6 or stress) with (mechanical) and (capacitance with distance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/16 07:29
S31	174	electrode with (bend \$4 or flexible or deform \$4 or twist\$4 or elastic) same (capacit \$6) and (dielectric or insulator) with (rigid or inflex\$4 or unflex\$4 or unbend\$4 or fixed or plastic or glass or polymer or paper) and (capacitance with distance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/16 07:31
S32	214	elastic) same (capacit \$6) and (dielectric or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/16 07:43

S33	22	("5476836" "5508255" "5613861" "5843870" "5883050" "6229684" "6361331" "6396677").PN. OR ("6625004").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/16 07:49
S34	9	("3646413" "3796976" "4141080" "4244722" "4480254" "4516091" "4619001" "4692727" "4782313" "4849722" "4853660" "5075600" "5162977" "5162977" "5164688" "5168249" "5258591" "5312790" "5367136" "5406233" "5467067" "5543765" "5543765" "5588106" "5578976" "5587943" "5589845" "5640042" "5640042" "5640042" "5640042" "5640042" "5640042" "5640042" "5640042" "5889845" "5808527" "5818683" "5830591" "5830591" "5870274" "5872489" "5872489" "5872489" "5880921" "5912472" "5912472" "5912472" "5912472" "5912472" "5912472"	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/16

	"5914553" "5925455" "5926073" "5930165" "6057520"). ("6229684")				
S35 129	("2851618" "2927255" "2942077" "3772537" "3796976" "4317611" "4554519" "458454519" "4584585" "4662746" "4710732" "4710732" "4736202" "4747670" "4789803" "4794370" "4826131" "4857757" "5016072" "5061049" "5065978" "5065978" "5097354" "5164688" "5164688" "5164688" "5164688" "5172262" "5172262" "5179499" "5202785" "5203208" "5203208" "5212582" "5233459" "5260596" "52678591" "52678591" "52675696" "5337365" "5349855" "5349855" "5353656" "5349855" "5349855" "5349855" "5349855" "5349855" "5408355" "5408355" "5408355" "54479042" "5479042" "5479042" "5479042" "5488863"	 US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/16

"5492590			
"5496430	•		
"550791			
"551572 ₄			
"5530342	•		
"5535902	· · · · · · · · · · · · · · · · · · ·		
"553698	· · · · · · · · · · · · · · · · · · ·		
"554376			
"554400 ⁻			
"555292	•		
"5578970	•		
"5616864			
"561906 ⁻	"		
"562093:			
"5627390			
"562956!)"		
"5629790			
"563563			
"5635639	"		
"5635640)"		
"5635739	"		
"5638940	"		
"564013	"		
"564417	"		
"5650568	!"		
"5652374	."		
"5656778)"		
"5661592	"		
"5666258)"		
"567313	"		
"567378!)"		
"567782:	J"		
"569666	<u>"</u>		
"572389	."		
"5759870)"		
"581868:)"		
"586200			
"591455			
"603292			
"606718			
"609866 ⁻	· · · · · · · · · · · · · · · · · · ·		
"611651			
"611686			
"6126140			
"6127908			
"616839!			
"6179580			
"622308			
"622782 ₄	•		
"6229683			
"622968			
	").PN. OR		
	7").URPN.		
1 10000	7::	 	

S36	69	("4789803" "4811246" "5179499" "5536988" "5602955" "5606635" "5722989" "5867302" "587007" "5870518" "5881198" "5962949" "6067183" "6127908" "6127908" "6222706" "6229684" "6229684" "6233088" "6239685" "6239685" "6396677").PN. OR ("6456420").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/16
S 37	331	361/277.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/16 08:09
S38	483	361/278.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/16 08:12

3/26/2009 3:18:01 PM

C:\ Documents and Settings\ cjang\ My Documents\ EAST\ Workspaces\ 10-685956 Interventive Diagnostic Device.wsp